



# SAFETY DATA SHEET

## 1. IDENTIFICATION

<b>Product Name:</b>	<b>Bendix Brake Fluid – DOT 3</b>
<b>Recommended Use:</b>	Hydraulic fluid for use in automotive brake and clutch systems
<b>Supplier:</b>	FMP Group (Australia) Pty. Ltd
<b>ABN:</b>	14 004 332 496
<b>Street Address:</b>	Elizabeth Street Ballarat, Victoria 3350 Australia
<b>Telephone:</b>	<b>1300 737 162</b>
<b>Facsimile:</b>	<b>+61 35336 1274</b>
<b>Emergency:</b>	<b>+61 35327 0211</b>

## 2. HAZARDS IDENTIFICATION

### CLASSIFICATION

Classified according to GHS and Safe Work Australia criteria

### LABEL ELEMENTS

**Signal Word:** DANGER

**Hazard Symbol (s):**



Health Hazard



Corrosive

**Hazard Statement (s):** H318 Causes serious eye damage  
H373 May cause damage to organs through prolonged or repeated exposure

### Precautionary Statements:

<b>General</b>	<b>P101</b> <b>P102</b> <b>P103</b>	If medical advice is needed, have product container or label at hand Keep out of reach of children Read Label before use
<b>Prevention</b>	<b>P260</b> <b>P264</b> <b>P280</b> <b>P281</b>	Do not breathe dust/fumes/gas/mist/vapours/spray Wash hands, face and all exposed skin thoroughly after handling Wear protective gloves/protective clothing/eye protection/face protection Use personal protective equipment as required
<b>Response</b>	<b>P305 + P351+</b> <b>P338</b> <b>P301 + P311</b> <b>P337 + P313</b> <b>P314</b> <b>P363</b>	If in eyes rinse cautiously with water for several minutes Remove contact lenses if present and easy to do so. Continue rinsing. If swallowed immediately call a Poison Centre or Doctor / physician If eye irritation persists: Get medical advice / attention Get medical advice / attention if you feel unwell Wash contaminated clothing before reuse
<b>Storage</b>	<b>P405</b>	Store locked up
<b>Disposal</b>	<b>P501</b>	Dispose of contents to hazardous waste collection point



# SAFETY DATA SHEET

## 3. COMPOSITION / INFORMATION ON INGREDIENTS

Ingredient	CAS number	Classification for ingredients	Proportion%
Ethanol; 2 [2-(2-butyloxyethoxy)ethoxy]-	143-22-6	Eye Damage CAT 1	20-45
Diethylene glycol monobutyl ether	112-34-5	Eye Irritant CAT 2	0-3
2,2'-oxybisethanol	111-46-6	Acute Toxicity CAT 4	10-25
Ingredients determined to be non-hazardous			to 100%
<b>Total</b>			<b>100%</b>

## 4. FIRST AID MEASURES

If poisoning occurs, contact a doctor or Poisons Information Centre

Australia 131 126      New Zealand 0800 764 766

Inhalation	Move to fresh air - avoid becoming a casualty. Remove contaminated clothing and loosen remaining clothing. Allow patient to assume most comfortable position and keep warm. Keep at rest until fully recovered. Seek medical advice if effects persist.
Skin Contact	If skin or hair contact occurs, remove contaminated clothing and footwear. Wash affected skin and hair with soap and running water. If swelling, redness, blistering or irritation occurs seek medical assistance.
Eye Contact	If in eyes wash out immediately with plenty of water, also under eyelids, for at least 30-60 minutes. In all cases of eye contamination it is a sensible precaution to seek medical advice.
Ingestion	Seek immediate medical advice. If the patient is conscious - Rinse mouth with water. If swallowed, do NOT induce vomiting. Give plenty of water to drink. Never give anything by the mouth to an unconscious patient.
Notes to Physician	Treat Symptomatically. Can cause corneal burns.
Poison Schedule	S5 Caution

## 5. FIRE FIGHTING MEASURES

Suitable Extinguishing Equipment	If material is involved in a fire use water fog (or if unavailable fine water spray), alcohol resistant foam, dry agent (carbon dioxide, dry chemical powder).
Specific Hazards Arising from the Chemical / Mixture	Non-combustible material, however following evaporation of aqueous component residual material can burn if ignited, Containers may rupture if exposed to fire.
Special Protective Equipment and Precautions for Fire Fighters	Fire fighters to wear self-contained breathing apparatus and suitable protective clothing if risk of exposure to vapour or products of combustion.
HAZCHEM Code	Not Applicable



# SAFETY DATA SHEET

## 6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures	<ul style="list-style-type: none"> <li>• Clear area of all unprotected personnel</li> <li>• Wear protective equipment to prevent skin and eye contamination</li> <li>• Avoid inhalation of fumes / vapours.</li> <li>• Remove all ignition sources</li> <li>• Provide sufficient ventilation</li> </ul>
Environmental Precautions	<ul style="list-style-type: none"> <li>• Prevent product from entering sewers or waterways</li> <li>• If contamination of sewers or waterways has occurred advise local emergency services.</li> <li>• Prevent gross contamination of soil</li> </ul>
Methods and Materials for Containment and Cleaning up	<ul style="list-style-type: none"> <li>• Wipe up with absorbent materials (clean rag /paper towels or granules).</li> <li>• Collect and seal in properly labelled containers or drums for disposal.</li> <li>• Cover with damp absorbent (inert material, sand or soil).</li> <li>• Collect and seal in properly labelled containers or drums for disposal</li> </ul>

## 7. HANDLING AND STORAGE

Precautions for Safe Handling	<ul style="list-style-type: none"> <li>• Avoid contact with eyes or skin</li> <li>• Avoid generating and breathing dust/ mists and aerosols</li> <li>• Do not eat, drink or smoke when handling this product</li> <li>• Wash thoroughly after handling with soap and water</li> </ul>
Conditions for Safe Storage	<ul style="list-style-type: none"> <li>• Store sealed in original container.</li> <li>• Store in a cool, dry, well ventilated place.</li> <li>• Store away from sources of heat or ignition.</li> <li>• Store and maintain in accordance with S5 poison regulation.</li> </ul>

## 8. EXPOSURE STANDARDS AND PERSONAL PROTECTION

### EXPOSURE STANDARDS

Chemical component	TWA		STEL		Classification Category	Notices
	PPM	mg/m <sup>3</sup>	PPM	mg/m <sup>3</sup>		
2,2'-Oxybis[ethanol]	23	100				
mg/m <sup>3</sup> = milligrams per cubic meter						
PPM = Parts per Million						
As Published by Safe Work Australia (SWA). A list of current Australian Exposure Standards is available on the Hazardous Substances Information System (HSIS), which can be accessed from <a href="http://www.safeworkaustralia.gov.au">www.safeworkaustralia.gov.au</a>						
TWA = Time Weighted Average	The average airborne concentration over an eight-hour working day, for a five-day working week over an entire working life.					
STEL = Short term Exposure Limit	The average airborne concentration over a 15 minute period which should not be exceeded at any time during a normal eight-hour workday.					
These Exposure Standards are guides to be used in the control of occupational health hazards. All atmospheric contamination should be kept as low a level as is workable. These exposure standards should not be used as fine dividing lines between safe and dangerous concentrations of chemicals. They are not a measure of relative toxicity. If the directions for use on the product label are followed, exposure of individuals using the product should not exceed the above standard. The standard was created for workers who are routinely, potentially exposed during product manufacture.						
Biological Limit Values	No Biological limit allocated					



# SAFETY DATA SHEET

Engineering Controls	<p>Handle with good industrial hygiene and safe work practices</p> <p>Ensure ventilation is adequate to maintain air concentrations below Exposure Standards using engineering controls if necessary</p> <p>Use only in well ventilated areas.</p> <p>Use local exhaust ventilation or while wearing an appropriate respirator.</p>
<b>INDIVIDUAL PROTECTION MEASURES</b>	
<p>Avoid the generation of aerosols or vapors. Where contamination exists, wear protective gear.</p> <p>Wash contaminated clothing and protective equipment before storing or re-using</p>	
Eye and Face Protection	Safety Goggles or a face shield where there is a risk of splashing. Eye baths/ wash stations should be provided.
Skin Protection	<p>Overalls and/ or other removable protective clothing is recommended.</p> <p>Where significant contamination is possible wear impervious body covering. Shower facilities are recommended where significant contamination is possible.</p> <p>Handle with gloves. Gloves must be inspected prior to use. Nitrile rubber are suitable for intermittent product handling.</p> <p>Dispose of contaminated gloves after use in accordance with applicable laws and good workplace practices.</p> <p>Wash and dry hands</p>
Respiratory Protection	<p>Where risk assessment shows respiratory protection is appropriate, an A-P2 organic vapour mask marked as conforming to the AS/NZ 1716 standard <i>Respiratory Protective Devices</i> is required.</p> <p>Respiratory equipment should be used in reference to AN/NZ 1715 standard <i>Selection, Use and Maintenance of Respiratory Protective Equipment</i>.</p>
Thermal Hazards	Standard Personal Protective Equipment required for the safe handling of this product should not adversely increase the thermal load of the wearer.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	Clear Liquid – colourless to amber
Odour	Bland
pH	7 – 11.5
Melting point	<50
Boiling Point	> 205°C
Flash Point	> 93°C
Evaporation Rate	Not Established
Density	1.01-1.06
Upper / Lower flammability or explosive limits	Not Established
Vapour Pressure (20°C)	< 2
Vapour Density	Not Established
Relative Density	Not Established
Solubility	Miscible in water
Partition Coefficient: n-octanol / water	< 2
Auto ignition temperature	> 300°C
Decomposition temperature	> 300°C
Viscosity	5-10 cSt@20°C
VOC (volatile carbon)	5.92 %



# SAFETY DATA SHEET

## 10. STABILITY AND REACTIVITY

Chemical Reactivity	The material is non-reactive when used and stored as directed
Chemical Stability	The material is stable when used and stored as directed
Hazardous Reactions	Glycol Ethers can form peroxides on storage. Glycol ethers can react with light metals with the evolution of hydrogen.
Conditions to Avoid	Do not distil to dryness without testing for peroxide formation. Avoid overheating. Avoid bunching of electrostatic charges. Avoid all sources of ignition.
Incompatible Materials	Strong oxidising agents
Hazardous Decomposition Products	Oxides of carbon and nitrogen, smoke and other toxic fumes.

## 11. TOXICOLOGICAL INFORMATION

Acute Toxicity	Classified as Non-hazardous. Acute toxicity based on ingredients >20 mg/L	
Skin corrosion / Irritation	Mixture	Classified as non-hazardous
Serious Eye Damage / Irritation	Mixture	Causes serious eye damage (corrosion)
Respiratory or skin sensitization	Mixture	Not classed as respiratory or skin sensitiser
Germ cell mutagenicity	Mixture	Classified as non-hazardous
Carcinogenicity	Mixture	Classified as non-hazardous
Reproductive toxicity	Mixture	Classified as non-hazardous
Specific Target Organ Toxicity (STOT) – single exposure	Mixture	Classified as non-hazardous
Specific Target Organ Toxicity (STOT) – repeated exposure	Mixture	Exposure via ingestion may result in damage to the kidney
Aspiration Hazard	Mixture	No aspiration hazard expected

## 12. ECOLOGICAL INFORMATION

Avoid contaminating Waterways. Material is classified as non-hazardous.		
Ecotoxicity	No information available	
Persistence and biodegradability	Mixture	No information available
Bio accumulative Potential	Mixture	No information available
Mobility in Soil	Mixture	No information available
Other Adverse Effects	Mixture	Classified as non-hazardous (Acute and Chronic)

## 13. DISPOSAL CONSIDERATIONS

Disposal	Dispose of in accordance with local and national regulations. Contaminated packaging must be recovered or disposed of in compliance with local waste management regulations.
Disposal Considerations	Persons conducting disposal activities please refer to the information in section 8 – Exposure Controls and Personal Protection of this SDS



# SAFETY DATA SHEET

## 14. TRANSPORT INFORMATION

### ROAD AND RAIL TRANSPORT

Not classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for transport by Road and Rail.

UN Number	Not Available
Proper Shipping or Technical Name	Not Available
Transport Hazard Class	Not Available
Packing Group	Not Available
Environmental; Hazards for Transport Purposes	Not Available
Special Precautions for the User	Not Available
Additional Information	Not Available
HAZCHEM or Emergency Action Code	Not Available

### MARINE TRANSPORT

Not classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea.

### AIR TRANSPORT

Not classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air.

## 15. REGULATORY INFORMATION

The product is subject to the following international agreements

Montreal Protocol (Ozone Depleting Substances)	Not Applicable
The Stockholm Convention (Persistent Organic Pollutants)	Not Applicable
The Rotterdam Convention (Prior Informed Consent)	Not Applicable
Basel Convention (Hazardous Waste)	Not Applicable
International Convention for the prevention of Pollution from Ships (MARPOL)	Not Applicable
<b>The product is subject to the following Health Safety and Environmental Regulation</b>	
Standard for the uniform scheduling of medicines and poisons (SUSMP)	Poisons Schedule: S5
Australian inventory of chemical substances (AICS)	Not Applicable for product Constituents as listed
HSNO Group Standard	Lubricants, Lubricant additives, coolants and anti-freeze agents

## 16. OTHER INFORMATION

Safety Data Sheets are updated frequently. Please ensure that you have a current copy.

### SDS Preparation Information

SDS Version	Reason for Revision	Notes
1.0	Release in GHS Format	SDSID: DOT4231116
2.0	Ingredient update	SDSID: DOT3231116
3.0	Ingredient update	SDSID: DOT3000019

This SDS summarises at the date of issue our best knowledge of the health and safety hazard information of the product, and in particular how to safely handle and use the product in the workplace. Since FMP Group (Australia) Pty Ltd cannot anticipate or control the conditions under which the product may be used, each user must, prior to



# SAFETY DATA SHEET

usage, review this SDS in the context of how the user intends to handle and use the product in the workplace.

If clarification or further information is needed to ensure that an appropriate assessment can be made, the user should contact this company.

Our responsibility for product as sold is subject to our standard terms and conditions, a copy of which is sent to our customers and is also available upon request.

Safety Data Sheets are updated frequently. Please ensure you have a current copy.

#### Abbreviations and Acronyms Used in preparation of the SDS

GHS	Global Harmonized System of Classification and Labeling
ADG	Australian Dangerous Goods Code
SWA	Safe Work Australia
TWA	Time Weighted Average
PPM	Parts Per Million
mg/m <sup>3</sup>	Milligrams per cubic meter
STEL	Short Term Exposure Limit
LD50	Lethal Dose 50%
LC50	Lethal Concentration 50%
IARC	International Agency for Research on Cancer
STOT	Specific Target Organ Toxicity