

Bendix



4WD **ULTIMATE** **BRAKE** **UPGRADE KIT**



ULTIMATE **4WD BRAKE UPGRADE KIT**

New **Bendix Ultimate 4WD Brake Upgrade Kits** are available for popular 4WD wagons and dual cab utes. Featuring advanced brake pads and rotors, braided lines and a host of ancillary items, you can work, explore or tow knowing that you can stop safely with Bendix.

ULTIMATE 4WD BRAKE PADS

FEATURES:	BENEFITS:
Ceramic Material	<ul style="list-style-type: none"> Low Dust, Low Noise, while providing high temperature stability and excellent fade resistance
Mechanical retention system backing plate	<ul style="list-style-type: none"> MRS technology used in commercial vehicle brake pads, for improved pad attachment strength, for heavy duty operating conditions
Designed for Slotted Rotors	<ul style="list-style-type: none"> Works best with slotted rotors, delivers confident stopping in all conditions

ULTIMATE 4WD ROTORS

FEATURES:	BENEFITS:
Diamond Tip Slot	<ul style="list-style-type: none"> Allows gasses to escape in heavy duty driving, delivering consistent output Better self cleaning for off road conditions
High Carbon Metallurgy	<ul style="list-style-type: none"> Noise damping, thermal conductivity, improved durability and increases brake performance & stopping power
SwiftFit	<ul style="list-style-type: none"> Protective zinc coating which is ready to fit
Pillar Construction	<ul style="list-style-type: none"> Improved thermal stability

ULTIMATE BRAKE HOSE

FEATURES:	BENEFITS:
Braided line with protection sleeve	<ul style="list-style-type: none"> Delivers a firm brake pedal, that won't over expand under high pressure
Meets SAE J1401	<ul style="list-style-type: none"> Compliant to international design standards, won't affect warranty
Designed to fit	<ul style="list-style-type: none"> Fits your application without any modification



Front Kit Contents

- 2 × Ultimate Brake Rotors
- 1 × Set of Ultimate 4WD Brake Pads
- 1 × Vehicle Set Ultimate Brake Hose
- 1L Heavy Duty Brake Fluid
- 1 × Can Bendix Cleanup
- 1 × Tube Ceramasil Brake Parts Lubricant
- Bendix rotor wipes
- 1 × 60L Icebox



Rear Kit Contents

- 2 × Ultimate Brake Rotors
- 1 × Set of Ultimate 4WD Brake Pads
- 1 × Can Bendix Cleanup
- Bendix rotor wipes
- 1 × HD touring case

NOTE: Images for illustration purposes only. Contents may vary.

VEHICLE APPLICATIONS

MODEL	CHASSIS	SERIES	MONTH /YEAR FROM	MONTH /YEAR TO	DRIVE TYPE	FITTING POSITION	BRAKE UPGRADE KIT	BUK FITMENT NOTES
-------	---------	--------	------------------	----------------	------------	------------------	-------------------	-------------------

FORD

RANGER	PX PX II PX III	2.2 TDDi 2.2 TDDi 4x4 2.5 i 3.2 TDDi 3.2 TDDi 4x4	11/2011	On	AWD RWD	Front	U4WD- BUK9	Standard height vehicle.
							U4WD- BUK9+2	Raised height, 50mm (2") lift.
							U4WD- BUK9+4	Raised height, 100 mm (4") lift.

HOLDEN

COLORADO 7 TRAILBLAZER	RG	2.8 TD 4WD (U156FH, U156MH) 2.8 TD 4x4 (U156FH, U156MH)	06/2012	06/2016	AWD	Front	U4WD- BUK10	Standard height vehicle. Flat (In-hub) Rotor With VSC
							U4WD- BUK10+2	Raised height, 50 mm (2") lift. Flat (In-hub) Rotor With VSC
							U4WD- BUK29	Standard height vehicle. Flat (In-hub) Rotor No VSC
							U4WD- BUK29+2	Raised height, 50 mm (2") lift. Flat (In-hub) Rotor No VSC
COLORADO	RG	2.8 TD (U143CK) 2.8 TD (U147DH) 2.8 TD (U148CH, U148DH, U148EH) 2.8 TD (U148CK)	06/2012	06/2016	AWD RWD	Front	U4WD- BUK10	Standard height vehicle. Flat (In-hub) Rotor With VSC
							U4WD- BUK10+2	Raised height, 50 mm (2") lift. Flat (In-hub) Rotor With VSC
							U4WD- BUK29	Standard height vehicle. Flat (In-hub) Rotor No VSC
							U4WD- BUK29+2	Raised height, 50 mm (2") lift. Flat (In-hub) Rotor No VSC
COLORADO	RG II	2.8 TD (U143CK) 2.8 TD (U147DH) 2.8 TD (U148CH, U148DH, U148EH) 2.8 TD (U148CK)	07/2016	09/2020	AWD RWD	Front	U4WD- BUK31	Standard height vehicle. Hat type rotor With VSC
							U4WD- BUK31+2	Raised height, 50 mm (2") lift. Hat type rotor With VSC Raised height 2"

ISUZU

D-MAX	RT	3.0 CRDi 3.0 CRDi (TFR85J) 3.0 CRDi 4x4 3.0 CRDi 4x4 (TFS85J)	06/2012	12/2020	AWD RWD	Front	U4WD- BUK10	Standard height vehicle With VSC
							U4WD- BUK10+2	Raised height, 50mm (2") lift. With VSC
							U4WD- BUK29	Standard height vehicle No VSC
							U4WD- BUK29+2	Raised height, 50mm (2") lift. No VSC

MAZDA

BT-50	UP UR	3.2 MZ-CD 3.2 MZ-CD 4WD	11/2011	12/2020	AWD RWD	Front	U4WD- BUK9	Standard height vehicle.
							U4WD- BUK9+2	Raised height, 50 mm (2") lift.
							U4WD- BUK9+4	Raised height, 100 mm (4") lift.

MITSUBISHI

TRITON	ML MN MQ	2.4 (KA5T) 2.4 (KK4T) 2.4 D 2.4 DI-D (KK1T) 2.4 DI-D 4WD (KL1T) 2.4 LPG (KA5T) 2.5 DI-D 2.5 DI-D 4WD (KB4T) 2.5 DiD (KA4T) 3.2 DI-D 4WD (KB8T) 3.5 (KA9T) 3.5 4WD (KB9T) 3.5 i 4WD (KB9T)	11/2005	12/2018	AWD RWD	Front	U4WD- BUK11	Standard height vehicle. Does not fit MR Triton
							U4WD- BUK11+2	Raised height, 50mm (2") lift. Does not fit MR Triton

MODEL	CHASSIS	SERIES	MONTH /YEAR FROM	MONTH /YEAR TO	DRIVE TYPE	FITTING POSITION	BRAKE UPGRADE KIT	BUK FITMENT NOTES
-------	---------	--------	------------------	----------------	------------	------------------	-------------------	-------------------

NISSAN

NAVARA	D23 (NP300)	2.3 dCi 2.3 dCi (D231) 2.3 dCi 4x4 2.3 dCi 4x4 (D231) 2.5	01/2015	On	AWD RWD	Front	U4WD- BUK12	Standard height vehicle.
							U4WD- BUK12+2	Raised height, 50mm (2") lift.
PATROL	GU (Y61)	2.8 TD 3.0 TD 4.2 D 4.5	05/1999	05/2007	AWD	Front	U4WD- BUK18	Standard height vehicle. Not 4.8L Non ABS
							U4WD- BUK18+2	Raised height, 50 mm (2") Non ABS
							U4WD- BUK18+4	Raised height, 100 mm (4") lift Non ABS
						Rear	U4WD-BUK40	Fits All GU (Y61) Rear

TOYOTA

HILUX	KUN26 GGN25	3.0 D 4WD (KUN26) 3.0 D-4D 4WD (KUN26) 4.0 4WD (GGN25) 4.0 4WD (GGN25_)	08/2005	06/2011	AWD	Front	U4WD- BUK1	Standard height vehicle. 319mm Rotor With ABS, With VSC
							U4WD- BUK1+2	Raised height, 50 mm (2") lift. 319mm Rotor With ABS, With VSC
							U4WD- BUK1+4	Raised height, 100 mm (4") lift. 319mm Rotor With ABS, With VSC
							U4WD- BUK6	Standard height vehicle. 297mm Rotor With ABS, No VSC
							U4WD- BUK6+2	Raised height, 50 mm (2") lift. 297mm Rotor With ABS, No VSC
							U4WD- BUK6+4	Raised height, 100 mm (4") lift. 297mm Rotor With ABS, No VSC
HILUX	KUN26 GGN25	3.0 D 4WD (KUN26) 3.0 D-4D 4WD (KUN26) 4.0 4WD (GGN25) 4.0 4WD (GGN25_)	07/2011	04/2015	AWD	Front	U4WD- BUK4	Standard height vehicle. 319mm Rotor With ABS, With VSC
							U4WD- BUK4+2	Raised height, 50 mm (2") lift. 319mm Rotor With ABS, With VSC
							U4WD- BUK4+4	Raised height, 100 mm (4") lift. 319mm Rotor With ABS, With VSC
							U4WD- BUK7	Standard height vehicle. 297mm Rotor With ABS, No VSC
							U4WD- BUK7+2	Raised height, 50 mm (2") lift. 297mm Rotor With ABS, No VSC
HILUX	GUN135	2.4 D (GUN135_)	05/2015	07/2017	RWD	Front	U4WD- BUK8	Standard height vehicle 297mm Rotor
							U4WD- BUK8+2	Raised height, 50mm (2") lift. 297mm Rotor
HILUX	GGN125 GUN125 GUN126	2.4 D 4WD (GUN125_) 2.8 D 4WD (GUN126_) 4.0 4WD (GGN125_)	05/2015	On	AWD	Front	U4WD- BUK2	Standard height vehicle. 319mm Rotor
							U4WD- BUK2+2	Raised height, 50 mm (2") lift. 319mm Rotor
LAND CRUISER PRADO	GRJ120 KDJ120 KDJ125 KZJ120	3.0 D (KZJ120_) 3.0 D-4D (KDJ120, KDJ125, KDJ121) 3.0 D-4D (KZJ12) 4.0 (GRJ120) 4.0 V6 WTi (GRJ120)"	11/2006	07/2009	AWD	Front	U4WD- BUK33	Standard height vehicle.
							U4WD- BUK33+2	Raised height, 50 mm (2") lift.
						Rear	U4WD- BUK41	Suits All Prado 120 Series
LAND CRUISER PRADO	GDJ150 GRJ150 KDJ150	2.8 D-4D (GDJ150_, GDJ155_, GDJ150) 3.0 D-4D (KDJ150_, KDJ150, KDJ155) 4.0 V6 WTi (GRJ150_, GRJ125_, GRJ150) 4.0 V6 WTi (GRJ150)	08/2009	10/2013	AWD	Front	U4WD- BUK19	Standard height vehicle. With ABS up to 10/2013
							U4WD- BUK19+2	Raised height, 50 mm (2") lift. With ABS up to 10/2013
						Rear	U4WD- BUK37	Suits All Prado 150 Series

MODEL	CHASSIS	SERIES	MONTH /YEAR FROM	MONTH /YEAR TO	DRIVE TYPE	FITTING POSITION	BRAKE UPGRADE KIT	BUK FITMENT NOTES
-------	---------	--------	------------------	----------------	------------	------------------	-------------------	-------------------

TOYOTA (continued)


LAND CRUISER	VDJ76R VDJ78R VDJ79R	4.5 TD 24V 4x4 (VDJ76, VDJ78, VDJ76R, VDJ78R) 4.5 TD 24V 4x4 (VDJ79, VDJ79R)	01/2007	08/2012	AWD	Front	U4WD- BUK16	Standard height vehicle Suits to 8/2014 No ABS
							U4WD- BUK16+2	Raised height, 50 mm (2") lift. Suits to 8/2014 No ABS
							U4WD- BUK16+4	Raised height, 100 mm (4") lift. Suits to 8/2014 No ABS
						Rear	U4WD- BUK34	Suits all LC VDJ76/78/79 Series
LAND CRUISER	VDJ76R VDJ78R VDJ79R	4.5 TD 24V 4x4 (VDJ76, VDJ78, VDJ76R, VDJ78R) 4.5 TD 24V 4x4 (VDJ79, VDJ79R)	08/2014	08/2016	AWD	Front	U4WD- BUK43	Standard height vehicle Suits to 8/2014 With ABS, No VSC
							U4WD- BUK43+2	Raised height, 50 mm (2") lift. Suits to 8/2014 With ABS, No VSC
							U4WD- BUK43+4	Raised height, 100 mm (4") lift. Suits to 8/2014 With ABS, No VSC
						Rear	U4WD- BUK34	Suits all LC VDJ76/78/79 Series
LAND CRUISER	VDJ76R VDJ78R VDJ79R	4.5 TD 24V 4x4 (VDJ76, VDJ78, VDJ76R, VDJ78R) 4.5 TD 24V 4x4 (VDJ79, VDJ79R)	09/2016	Current	AWD	Front	U4WD- BUK45	Standard height vehicle Suits to 8/2014 With ABS, with VSC
							U4WD- BUK45+2	Raised height, 50 mm (2") lift. Suits to 8/2014 With ABS, with VSC
							U4WD- BUK45+4	Raised height, 100 mm (4") lift. Suits to 8/2014 With ABS, with VSC
						Rear	U4WD- BUK34	Suits all LC VDJ76/78/79 Series
LAND CRUISER	VDJ200 UZJ200 URJ202	4.5 D-4D (VDJ200) 4.7 V8 (UZJ200) 4.6 V8 (URJ202)	09/2007	12/2011	AWD	Front	U4WD- BUK15	Standard height vehicle. 340mm Rotor
							U4WD- BUK15+2	Raised height, 50 mm (2") lift. 340mm Rotor
						Rear	U4WD- BUK35	Suits all LC 200 Series
LAND CRUISER	VDJ200 UZJ200 URJ202	4.5 D-4D (VDJ200) 4.7 V8 (UZJ200) 4.6 V8 (URJ202)	01/2012	08/2015	AWD	Front	U4WD- BUK15	Standard height vehicle. 340mm Rotor
							U4WD- BUK15+2	Raised height, 50 mm (2") lift. 340mm Rotor
						Rear	U4WD- BUK35	Suits all LC 200 Series
LAND CRUISER	URJ202 VDJ200	4.5 D-4D (VDJ200) 4.6 V8 (URJ202)	08/2015	On	AWD	Front	U4WD- BUK61	Standard height vehicle. 340mm Rotor GX, GXL only
							U4WD- BUK61+2	Raised height, 50 mm (2") lift. 340mm Rotor GX, GXL only
							U4WD- BUK17	Standard height vehicle. VX, Sahara 354mm rotor
							U4WD- BUK17+2	Raised height, 50 mm (2") lift. VX, Sahara 354mm rotor
						Rear	U4WD- BUK35	Suits all LC 200 Series

VOLKSWAGEN

AMAROK	2HA 2HB S1B S6B S7A S7B"	2.0 BiTDI 2.0 BiTDI 4motion 2.0 TDI 2.0 TDI 4motion 2.0 TSI"	12/2010	07/2019	AWD RWD	Front	U4WD- BUK14	Standard height vehicle. Not 3.0L V6TD
							U4WD- BUK14+2	Raised height, 50 mm (2") lift. Not 3.0L V6TD

ULTIMATE 4WD BRAKE UPGRADE KIT

Ultimate 4WD Brake Upgrade Kit vs OEM Brakes



CONSUMABLES RANGE

The Bendix Consumables range has been designed to complement the full range of Bendix products.

DOT 3 & DOT 4 BRAKE FLUID

High performing Polyglycol type fluids engineered to optimise braking performance for specific applications. Both DOT 3 and DOT 4 fluids are suitable for hydraulic and conventional braking systems in automotive vehicles, meeting stringent Australian and U.S. specifications.



DOT 3	500mL	4L	20L Drum
Part No.	BBF3-500	BBF3-4L	BBF3-20L
Weight	500ml	4L	20L
Barcode	9316068403594	9316068405604	9316068403600

DOT 4	500mL	4L	20L Drum
Part No.	BBF4-500	BBF4-4L	BBF4-20L
Weight	500ml	4L	20L
Barcode	9316068403631	9316068405611	9316068403648



PREMIUM QUALITY AEROSOLS

Bendix have got it in the can with our new range of super convenient spray cans! The all new range of Bendix spray cans, available at your nearest automotive stockist now.

PRODUCT	Degrease	Cleanup	Shine
Part No.	BDG4	BBC4	BST4
Weight	400g	400g	400g
Barcode	9316068431931	9316068186053	9316068431948
Quantity per carton	12	12	12

PRODUCT	Multi-Use	Smooth	Silicon
Part No.	BMU4	BLG4	BSL3
Weight	400g	400g	330g
Barcode	9316068431955	9316068431962	9316068431979
Quantity per carton	12	12	12



FOR MORE INFORMATION

Freecall the Bendix Brake Advice Centre on 1800 819 666 (8am-5pm Monday to Friday EST) or +61 3 5327 0211 from overseas.
brakeadvicecentre@bendix.com.au
bendix.com.au or **bendix.co.nz**



*Bendix brake components are appropriate for the purpose intended and if installed by qualified staff, to the vehicle manufacturer's specifications, can be used in logbook servicing.

Put your foot down with confidence™